

The Official Samba-4 HOWTO

Jelmer R. Vernooij

March 4, 2008

ATTRIBUTION

ATTRIBUTION

CONTENTS

Contents

ATTRIBUTION	v
ATTRIBUTION	vi
Part I Introduction to SMB networks	ix
Chapter 1 THE SMB/CIFS PROTOCOL	xii
1.1 History	xii
1.1.1 Invention by IBM	xii
1.1.2 The various incarnations of SMB	xiii
1.1.2.1 DOS	xiii
1.1.2.2 Windows For Workgroups	xiv
1.1.2.3 Windows NT	xiv
1.1.2.4 Windows 2000	xiv
1.1.3 Samba versions and their support for the SMB models	xv
1.1.3.1 Samba 2.2	xv
1.1.3.2 Samba 3.0	xv
1.1.3.3 Samba 3.2	xv
1.1.3.4 Samba 4.0	xv
Chapter 2 SAMBA	xvi
2.1 Samba 2.2	xvi
2.2 Samba 3.0	xvi
2.3 Samba 3.2	xvi
2.4 Samba 4.0	xvi
Part II Samba 4 Basics	xv
Chapter 3 CONFIGURATION	xviii
Chapter 4 CHAPTER	xix
	vii

Part III	Network model	xix
Part IV	Network Model: Share-based security	xxi
Chapter 5	SHARE-BASED STAND-ALONE SERVER	xxiii
Part V	Network Model: User-based security	xxiii
Chapter 6	USER-BASED STAND-ALONE SERVER	xxv
Part VI	Network Model: NT4-style domains	xxv
Chapter 7	CHAPTER	xxvii
Chapter 8	BACKUP DOMAIN CONTROLLER	xxviii
Chapter 9	CHAPTER	xxix
Part VII	Network Model - Active Directory	xxix
Chapter 10	ACTIVE DIRECTORY - DOMAIN CONTROLLER	xxxi
Chapter 11	ACTIVE DIRECTORY - MEMBER	xxxii
Part VIII	Common services	xxxi
Chapter 12	CHAPTER	xxxiv
Chapter 13	PRINTING	xxxv
13.1	Unix printing types	xxxv
Chapter 14	AUTHENTICATION	xxxvi
Chapter 15	REGISTRY	xxxvii

Part IX Clients	xxxvii
Chapter 16 SMBCLIENT	xl
Chapter 17 CIFSFS	xli
Chapter 18 CHAPTER	xlii
Part X Appendices	xli
Chapter 19 COMPILING	xliii
19.1 Downloading the source - Tar Ball	xliii
19.2 Downloading the source - Subversion	xliii
19.3 Compiling the source	xliii
19.4 Installing	xliii
LIST OF FIGURES	xliv
LIST OF TABLES	xlv
SUBJECT INDEX	xlvii

Part I

**Introduction to SMB
networks**

Not everybody is already familiar with SMB networks and the jargon used in such networks. This part describes the evolution of SMB, how the protocol is structured and what Samba can be used for.

NT admins, already familiar with SMB networks, are probably only interested in the chapter about Samba itself.

THE SMB/CIFS PROTOCOL

”SMB” (also known as ”CIFS”) is a file-sharing protocol that has been used since the mid-eighties. Most people know SMB as the protocol behind the ”Network Neighbourhood” and remote printing in Windows.

Several parts of the protocol are not discussed in this chapter, such as mail-slots, browsing and dfs, to prevent it from getting too complex. CIFS internals are documented in detail in [?], [?].

1.1 History

1.1.1 Invention by IBM

SMB is not very old, but it has a long history of modifications and extensions. The original protocol was meant to run over “NetBIOS”, which was the name of the DOS interface to a very simple LAN system developed by IBM. NetBIOS was developed because SNA, IBM’s other main protocol at the time, was much too advanced for use in DOS.

The NetBIOS API in these days (early eighties) was nothing more than the interface to a very simple link-layer protocol over which several protocols, including SMB, were used. It could do reads and writes to services on remote hosts, which were identified by case-insensitive names, and discover all available hosts and services.

Dr. Barry Feigenbau, an IBM employee, invented the core of the original SMB protocol, which he initially named after himself: “BAF”. He later changed the name to be “SMB” (for “Server Message Block”). Every packet in the protocol starts with a byte \$0xFF\$ and these three letters.

IBM, Microsoft, 3Com and Intel made up the rest of the initial protocol together. The commands the protocol supported at this stage were basically a mirror of the DOS File IO API calls, which meant the protocol wasn't very efficient. The protocol also lacked authentication support. Everybody on the network could do reads and writes, which meant this protocol wasn't very suitable for large enterprises.

NetBIOS is an API that has had various implementations; there is NetBIOS over TCP/IP (NBT), NetBIOS over IPX, NetBIOS over SNA and even NetBIOS over DECNet. Mostly used these days is NetBIOS over TCP (NBT).

This is also where things are starting to get hairy. Since NetBIOS identifies hosts by their name, NetBIOS clients had to start doing IP broadcasts to figure out the IP of the host they had to connect to. Several schemes were introduced to do name lookups crossing subnet boundaries, using name servers, etc. We're basically emulating a NetBIOS LAN in order to be able to run SMB.

Doing NetBIOS over IP is not very sane, however, the NBT implementation itself in Windows isn't very nice either. It has horrible limits, special exceptions, several broken schemes for looking up names (including two kinds of name servers). NetBIOS and NetBIOS over TCP/IP are described in RFC1001 and RFC1002.

1.1.2 The various incarnations of SMB

Over the years, several usage models for SMB have been developed. While SMB originally started out as a file sharing protocol, it was later extended to include support for network management and other network services as well.

One of the reasons for the various "upgrades" of the SMB protocol is the fact that networks have become larger and larger and with them the need for privilege separation and scalability has increased.

1.1.2.1 DOS

The original model in which SMB was used was as a simple file-sharing service in a NetBIOS-environment.

File sharing worked basically by specifying a list of directories that had to be shared and what name they had to be shared under ("shares"). Eventually, one could password-protect a share. At most one password per share could be set.

1.1.2.2 Windows For Workgroups

After the "CORE" dialect, IBM and Microsoft implemented a new dialect known as "LANMAN". This dialect was used by Windows for Workgroups, OS/2 and Windows 9x which all know it under a different name. A 'virtual' file system was also added, which was used for doing remote function calls (RAP, for "Remote Administration Protocol").

Computers are grouped into "Workgroups" in this model. Everybody is equal to the others and there is no central point of control.

1.1.2.3 Windows NT

For Windows NT, yet another dialect was added, named 'NT'. The NT dialect had it's own set of file I/O functions (similar to the NT File I/O API) and it had support for yet another way of doing remote function calls: DCE/RPC. RPC's are used for DCOM and several of the subsystems in NT that can be accessed remotely (registry, printing, user management, logging on, etc).

Windows NT works with a new concept for grouping computers called "domains"¹. Each computer is member of exactly one domain. There are several roles a computer can have in the domain: PDC (primary domain controller, the "manager" of the domain, that coordinates all authentication and authorization), BDC (Backup domain controller, in case the PDC goes down) or just a regular domain member. The PDC decides who is to be a member of the domain.

1.1.2.4 Windows 2000

In Windows NT 5 (marketing name: Windows 2000), NetBIOS-less SMB was introduced. This means SMB is used directly over TCP port 445 instead of via NetBIOS over TCP/IP. DNS is used for looking up machine names.

¹In the protocol, domains are actually an upgraded version of a workgroup

Windows 2000 was also the first operating system from Microsoft that had support for Active Directory. Active Directory is very similar to the "domain" concept used by NT4, though it is implemented differently (using modified open protocols), and has some additional features (one of the most important ones being decentralized).

Active directory no longer uses a central point of authority and there are fewer limits to the size of a domain. Several DC's can exist, so there is no longer a single point of failure as well as better scalability.

1.1.3 Samba versions and their support for the SMB models

1.1.3.1 Samba 2.2

Full CORE and Workgroup support. Somewhat basic NT4-style support.

1.1.3.2 Samba 3.0

Full CORE and Workgroup support. Almost complete NT4-style support.

1.1.3.3 Samba 3.2

FIXME

1.1.3.4 Samba 4.0

Full CORE, Workgroup, NT4 and ADS support.

Chapter 2

SAMBA

Samba is an Open Source application that provides an SMB implementation for POSIX-compatible operating systems.

Providing support for a Windows-based file-sharing protocol on POSIX servers sometimes requires mapping Windows semantics to POSIX semantics.

Samba has always been catching up with Microsoft. Here is a list of Samba releases and what they support (or will support).

2.1 Samba 2.2

Full CORE and Workgroup support. Somewhat basic NT4-style support.

2.2 Samba 3.0

Full CORE and Workgroup support. Almost complete NT4-style support.

2.3 Samba 3.2

FIXME

2.4 Samba 4.0

Full CORE, Workgroup, NT4 and ADS support.

Part II

Samba 4 Basics

FIXME

Chapter 3

CONFIGURATION

Chapter describing Samba's configuration in detail.

Chapter 4

CHAPTER

Part III

Network model

A SMB server is used in a certain network type (workgroup, domain, active directory) with a specific role (stand-alone, primary domain controller, backup domain controller, etc) in that network. Samba has to be configured according to that role. Each of the chapters in this part describes how to configure Samba for a specific role.

Part IV

Network Model: Share-based security

SHARE-BASED STAND-ALONE SERVER

One of the simplest

Part V

**Network Model: User-based
security**

USER-BASED STAND-ALONE SERVER

Part VI

Network Model: NT4-style domains

Chapter 7

CHAPTER

BACKUP DOMAIN CONTROLLER

CHAPTER

Part VII

Network Model - Active Directory

ACTIVE DIRECTORY - DOMAIN CONTROLLER

ACTIVE DIRECTORY - MEMBER

Part VIII

Common services

Independent of the role the server has, it can provide services. Examples of services are printing, user management, authentication, etc.

Chapter 12

CHAPTER

PRINTING

13.1 Unix printing types

AUTHENTICATION

REGISTRY

Part IX

Clients

Samba includes a number of different clients for accessing SMB file, print and other services. Pretty much every service can be access using a command-line utility, though there are several GUI clients available as well.

SMBCLIENT

CIFSFS

Chapter 18

CHAPTER

Part X

Appendices

COMPILING

19.1 Downloading the source - Tar Ball

19.2 Downloading the source - Subversion

19.3 Compiling the source

19.4 Installing

List of Figures

List of Tables

SUBJECT INDEX